


Boeing 747 - 8F



76 m

Main Deck: pallets: 34, Lower Deck: pallets: 12, Tonnage: 130

CAPACITY

CARGO Hold	Location - B.A.		USABLE VOLUME - CU FT	B.A. IN.
	From	to		
Main Hold	68.0	2425.0	28000	1250.0
Forward Hold	303.0	87.0	4608	645.0
AFT Hold ^(H)	1484.0	2040.0	3700	1762.0
Bulk Hold ^(H)	2040.0	2220.0	520	2188.2

CERTIFIED GROSS WEIGHTS		
	LB	KG
Maximum Taxi Weight (MTW)	990000	449056
Maximum Takeoff Weight (MTOW)	987000	447695
Maximum Fuel Transfer Weight (MFTW)	827366	375286
Maximum Landing Weight (MLW)	763000	346090
Maximum Zero Fuel Weight (MZFW)	727000	329761
Minimum Flight Weight (MFV)	402000	182344

CONFIGURATION

MAIN DECK

The illustration below shows the allowable positions in the main deck hold for the following:

Note : CR, DR, CL, DL, ER, FR, GR, HR, JR, KR, LR, MR, PR, RR, PL, RL and RL can be Loaded by PAG


8-747F

•Side Door : H 304 X W 330 CM

•Noose Door : H 249 X W 356 CM

•LD Door : H 167 X W 258 CM

•Bulk Door : H 119 X W 111 CM



Boeing 747 - 400 ERF



70.66 m

Main Deck: pallets: 30, Lower Deck: pallets: 10, Tonnage: 110

CAPACITY

The following table provides cargo hold locations, usable volumes and the corresponding volumetric center-of-mass with the net installed at B.A.1920.0

CARGO Hold	Location - B.A.		USABLE VOLUME - CU FT	B.A. IN.
	From	to		
Main Deck	228.0	2365.0	26000	1250.0
Forward	464.0	987.0	3523	725.0
Aft	1484.0	1920.0 ^M	2882	1702.0
Bulk	1920.0	2160.0	920	2014.6


CERTIFIED GROSS WEIGHTS			
		LB	KG
Maximum Taxi Weight (MTW)		913000	414129
Maximum Takeoff Weight (MTOW)		910000	412769
Maximum Fuel Transfer Weight (MFTW)		785000	356070
Maximum Weight with Landing Flaps (Flap Detents 25 and 30)		670000	303906
Maximum Landing Weight (MLW)		653000	296195
Maximum Zero Fuel Weight (MZFW)		611000	277144
Minimum Flight Weight (MFW)		364135	165169

CONFIGURATION

MAIN DECK

The illustration below shows the allowable positions in the main deck hold for the following:

- 400-747ERF
- Side Door : H 340 X L 312 CM
- Noose Door : H 350 X L 250 CM
- LD Door : H 264 X L 168 CM
- Bulk Door : H 122 X L 110 CM



Boeing 777F



63.7 m

Main Deck: pallets: 27, Lower Deck: pallets:10, Tonnage: 95 -100

CAPACITY

CARGO Hold	Location – B.A.		USABLE VOLUME – CU FT	B.A. IN.
	From	to		
Main Deck	396.0	2143.0	18301	1247.1
Forward	409	998	3596	703.5
Aft	1437	1886	2729	1661.5
Bulk	1886	2062	600	1964.5
Total			6925	1190.3


CERTIFIED GROSS WEIGHTS		
	LB	KG
Maximum Taxi Weight (MTW)	768800	348721
Maximum Takeoff Weight (MTOW)	766800	347814
Maximum Landing Weight (MLW)	575000	260815
Maximum Zero Fuel Weight (MZFW)	547000	248115
Minimum Flight Weight (MFW)	293000	132903

CONFIGURATION

777F
 •Side Door: H 304 X W 372 CM
 •LD Door: H 170 X W 258 CM
 •Bulk Door: H 111 X W 84 CM

MAIN DECK

The illustration below shows the allowable positions in the main deck hold for the following:



Boeing 747-400BCF



63.7 m

Main Deck: pallets: 27, Lower Deck: pallets:10, Tonnage: 95 -100

CAPACITY

CARGO Hold	Location – B.A.		USABLE VOLUME – CU FT	B.A. IN.
	From	to		
Main Deck	228.0	2365.0	26000	1250.0
Forward	464.0	970.0	3415	717.0
Aft	1484.0	1920 ^(a)	2970	1702.0
Bulk	1920.0	2160.0	688	2012.4
Total			7073	1256.6

(a) Location of net.


CERTIFIED GROSS WEIGHTS		
	LB	KG
Maximum Taxi Weight (MTW)	873000	395986
Maximum Takeoff Weight (MTOW)	870000	394625
Maximum Fuel Transfer Weight (MFTW)	785000	356070
Maximum Weight with Landing Flaps (Flap Detents 25 and 30)	670000	303906
Maximum Landing Weight (MLW)	652000	295742
Maximum Zero Fuel Weight (MZFW)	610000	276691
Minimum Flight Weight (MFW)	367500	166696

CONFIGURATION

747-400BCF
 •Side Door: H 304 X W 341.376 CM
 •LD Door : H 66 X W 279 CM
 •Bulk Door : H 119 X W 111.76 CM

MAIN DECK

The illustration below shows the allowable positions in the main deck hold for the following:



MAIN DECK



LOWER DECK

